



# CATALOGUE

2026

**G R O V E**  
FLOORING

ENGINEERED HARDWOOD  
FLOORING



## SUPPLY & DELIVERY

Delivery door to door.



## INSTALLATION

Our skilled teams install your wood floor with high technique standards.



## CUSTOM MADE FLOORS

We offer custom stains, finishes, dimensions and patterns.



# Engineered Hardwood

## BEST PROCESS

Our engineered hardwood is processed with the best advanced technology machinery and know-how.



# Engineered Hardwood

## STRONG & DURABLE

Our technical wood flooring offers great stability with its cross-grained multi-ply layers. It is more resistant to variations of temperatures and humidity than solid wood flooring.



## STRUCTURE DETAILS

real hardwood top layer  
1.2 > 6 mm thick

ชั้นบนสุดทำจากไม้เนื้อแข็งแท้  
หนา 1.2 > 6 มม.

multi-ply core  
6 layers of plywood  
(*Eucalyptus* & *Acacia*)

ไม้อัดแกนหลายชั้น 6 ชั้น (ยูคาลิปตัส  
และอะคาเซีย)

## EASY INSTALLATION

Tongue & groove system makes the installation quick and easy.





# Engineered Hardwood

## SPECIES

We supply our engineered hardwood flooring with a variety of species from Europe, Asia and US.




OAK



TEAK



ACACIA



HICKORY



## FINISHES

6 layers of protective UV lacquer

MATT / ผิวด้าน

SATIN / ผิวซาติน

## STYLE & CHARACTER

Our GROVE collection comes with a stunning color palette and finishes that brings unique design to your flooring.

We offer nice textured options from smooth to wire-brushed or hand-scraped to give a distinct look to your boards.

## EASY CARE

Our flooring is very easy to maintain. Dry cleaning with a mop, broom or vacuum cleaner is generally all you need to do.



# Engineered Hardwood

## DIMENSION

Our planks comes with different width, fixed or random length (*according to the reference*).

Thickness also varies, allowing refinishing for some references.



Thickness:

9.5 mm

12 mm

13 mm

14 mm

15 mm

Random length: 500-1900 mm

Random length: 600-2200 mm



Width:  
127 mm



Width:  
190 mm



Width:  
240 mm



# Engineered Hardwood


## COLLECTION 2026

At GROVE we carefully selected a range of elegant & versatile references - from rustic to contemporary style, from light to dark tones - to suit any interior.


Whether this is for residential or commercial use, we have the flooring you need.



OAK  
Beignet - OBE 190  
size: 9.5/1.2 x 190 x 1900 RL mm



OAK  
Biscotti - OFR 190  
size: 9.5/1.2 x 190 x 1900 RL mm



OAK  
Auvare - OAU 190  
size: 12/2 x 190 x 1900 RL mm





# Engineered Hardwood


COLLECTION 2026



OAK  
Cannoli - OCA 190  
size: 9.5/1.2 x 190 x 1900 RL mm



OAK  
Creme Brulée - OCB 190  
size: 9.5/1.2 x 190 x 1900 RL mm



OAK  
Cheval - OCH 190  
size: 12/2 x 190 x 1900 RL mm





# Engineered Hardwood


COLLECTION 2026



OAK  
Lauron - OLA 190  
size: 12/2 x 190 x 1900 RL mm



OAK  
La Garde - OLG 190  
size: 12/2 x 190 x 1900 RL mm



OAK  
Rousset - ORO 190  
size: 12/2 x 190 x 1900 RL mm



# Engineered Hardwood

COLLECTION 2026



OAK  
French Vanilla - OFV 190  
size: 9.5/1.2 x 190 x 1900 RL mm



OAK  
Primer - OPR 127  
size: 12/1.2 x 127 x 1900 RL mm



OAK  
Reverie - ORE 190  
size: 12/2 x 190 x 1900 RL mm





# Engineered Hardwood


COLLECTION 2026



OAK  
La Bonde - OLB 190  
size: 12/2 x 190 x 1900 RL mm



OAK  
Taravelle - OTA 190  
size: 12/2 x 127 x 1900 RL mm



OAK  
Venelle - OVE 190  
size: 12/2 x 190 x 1900 RL mm




# Engineered Hardwood

COLLECTION 2026



OAK  
Acapulco - OAC 190  
size: 9.5/1.2 x 190 x 1900 RL mm



OAK  
Kings Port - OKS 190  
size: 12/1.2 x 190 x 1900 RL mm



OAK  
Clay Pot - OCP 190  
size: 12/2 x 190 x 1900 RL mm






# Engineered Hardwood

COLLECTION 2026



OAK  
Native Soil - ONS 190  
size: 9.5/1.2 x 190 x 1900 RL mm



OAK  
WD-01 - OWD 190  
size: 9.5/1.2 x 190 x 1900 RL mm



OAK  
Dremel - ODR 127  
size: 12/1.2 x 127 x 1900 RL mm



# Engineered Hardwood

COLLECTION 2026



OAK  
Dark Forest - ODF 190  
size: 12/1.2 x 190 x 1900 RL mm



OAK  
Sunflower - OSU 190  
size: 12/1.2 x 190 x 1900 RL mm



OAK  
Silver Brown - OSB 190  
size: 12/1.2 x 127 x 1900 RL mm






# Engineered Hardwood

COLLECTION 2026



OAK  
Sandcastle - OSA 190  
size: 12/1.2 x 190 x 1900 RL mm



OAK  
Frozen Lake - OFR 190  
size: 12/1.2 x 190 x 1900 RL mm



OAK  
Jungle Path - OJP 190  
size: 12/1.2 x 127 x 1900 RL mm




# Engineered Hardwood

COLLECTION 2026



OAK  
Angelica - OAN 190  
size: 9.5/1.2 x 190 x 1900 RL mm



OAK  
Chase - OCH 190  
size: 9.5/1.2 x 190 x 1900 RL mm



OAK  
North Creek - ONC 190  
size: 9.5/1.2 x 127 x 1900 RL mm





# Engineered Hardwood

COLLECTION 2026



OAK  
Macaroon - OMA 190  
size: 9.5/1.2 x 190 x 1900 RL mm



OAK  
Shortbread - OSB 190  
size: 9.5/1.2 x 190 x 1900 RL mm



OAK  
White Sand - OWS 190  
size: 12/1.2 x 127 x 1900 RL mm



# Engineered Hardwood

COLLECTION 2026



OAK  
Oak Natural - OON 190  
size: 12/1.2 x 190 x 1900 RL mm

The logo for Groove Flooring. It features a rectangular area with a light-colored wood grain pattern. Overlaid on this is a large, thin, dark grey circular arc that starts on the left, goes over the top, and ends on the right. The word "GROOVE" is written in large, bold, dark grey capital letters across the middle of the wood grain. Below it, the word "FLOORING" is written in smaller, dark grey capital letters.

**G R O O V E**  
F L O O R I N G



# Warranty

## LIMITED FINISHES WARRANTY

GROVE hereby warrants to the buyer that the factory applied finish of GROVE brand products will not wear-through or lose adhesion to the bare wood as a result of normal use for the duration of the warranty period, as stated for the product at the time of purchase. Diminished gloss, scratches, and dents are not considered wear-through of the finish.

This warranty does not cover damage caused by high heel, sports equipment, furniture, cleaning equipment, sudden impact by hard objects, pet claws, use of abrasive cleaners, or abrasion by any object such as sand or pebbles.

In the event the finish wears through or releases from the GROVE brand product, GROVE will, at its option repair or replace the affected planks or area. The warranty applies to defects in excess of 10% of the total square meter purchased.

**Residential: 25 years**  
**Commercial: 5 years**



**G R O V E**  
**F L O O R I N G**

# Our commitment

## CARB2 CERTIFICATION

Our GROVE flooring products comply with CARB2 certification (California Air Resources Board) that meets some of most stringent standards for formaldehyde emissions from composite wood products, including hardwood plywood (HWPW), particleboard (PB), and medium density fiberboard (MDF). The intention of CARB2 compliance is to set standards for products that could impact the indoor air health quality of any interior spaces.



## LACEY ACT COMPLIANT

The Lacey Act is a piece of legislation that was passed in 1900 by the Congress of the United States of America. It basically bans trafficking wildlife that is deemed illegal or endangered species. The act was later amended in 2008 to incorporate plants and their associated products like paper and timber. It effectively meant no timber would be sourced from illegal sources.







G R O V E  
FLOORING

Wood Veneer  
SPC Flooring  
CATALOGUE 2026



## SUPPLY & DELIVERY

Delivery door to door.



## INSTALLATION

Our skilled teams install your wood floor with high technique standards.



## CUSTOM MADE FLOORS

We offer custom stains, finishes, dimensions and patterns.





# Wood Veneer SPC

Crafted by Nature, Perfected by Technology

Experience the perfect harmony of natural hardwood aesthetics and cutting-edge rigid core technology. Designed for modern living, our Wood Veneer SPC Flooring (WVSPC) brings the authentic warmth of real wood into any space, without the maintenance drawbacks.

- 1** 100% WATERPROOF  
Engineered to withstand moisture, making it the ideal choice for high-humidity zones like kitchens, bathrooms, and basements.



- 2** HIGH TRAFFIC DURABILITY  
Advanced protection against stains, scratches, and abrasions ensures a flawless look that lasts for years.




- 3** SUPERIOR ACOUSTIC COMFORT  
Equipped with a premium, pre-attached underlayment that dampens sound transmission and easily meets strict building codes.



- 4** LOW MAINTENANCE  
No sanding, oiling, or complex sealing required—just simple, everyday cleaning.




- 5** ANTIBACTERIAL & HYGIENIC  
Enhanced surface protection that prevents microbial growth, keeping your floors naturally cleaner and safer.



# Wood Veneer SPC

## WVSPC Specifications

### DIMENSION



Wood Veneer SPC Flooring Thickness: 8 mm, 9.5 mm

Real Wood Veneer Thickness: 1.2 mm

Wood Veneer SPC Flooring IXPE Foam Pad: 1.5 mm

Wood Veneer SPC Flooring Length:

910 mm, 1220 mm, 1900 mm

Wood Veneer SPC Flooring Click: Unlin click

Length: 910 mm

Length: 1220 mm

Length: 1900 mm

Width:  
127 mm

Width:  
165 mm

Width:  
190 mm

G R O V E  
F L O O R I N G





# Wood Veneer SPC

## COLLECTION 2026

We carefully selected a range of elegant & versatile color references to suit any interior. Whether this is for residential or commercial use, we have the wood flooring you need.



OAK

Chocolate - VCH 165

size: 9.5/1.2 x 165 x 1900 mm (+ 1.5 mm IXPE pad)

size: 8/1.2 x 190 x 1220 mm (+ 1.5 mm IXPE pad)

size: 9.5/1.2 x 165 x 1220 mm (+ 1.5 mm IXPE pad)

size: 8/1.2 x 127 x 910 mm (+ 1.5 mm IXPE pad)



OAK


Silver Grey - VSG 165

size: 9.5/1.2 x 165 x 1900 mm (+ 1.5 mm IXPE pad)

size: 8/1.2 x 190 x 1220 mm (+ 1.5 mm IXPE pad)

size: 9.5/1.2 x 165 x 1220 mm (+ 1.5 mm IXPE pad)

size: 8/1.2 x 127 x 910 mm (+ 1.5 mm IXPE pad)



OAK


Natural - VNA 165

size: 9.5/1.2 x 165 x 1900 mm (+ 1.5 mm IXPE pad)

size: 8/1.2 x 190 x 1220 mm (+ 1.5 mm IXPE pad)

size: 9.5/1.2 x 165 x 1220 mm (+ 1.5 mm IXPE pad)

size: 8/1.2 x 127 x 910 mm (+ 1.5 mm IXPE pad)



TEAK

Honey - VHO 165

size: 8/1.2 x 165 x 1220 mm (+ 1.5 mm IXPE pad)

# Wood Veneer SPC

## COLLECTION 2026

We carefully selected a range of elegant & versatile color references to suit any interior. Whether this is for residential or commercial use, we have the wood flooring you need.



### WALNUT

Leather - VLE 165

size: 8/1.2 x 190 x 1220 mm (+ 1.5 mm IXPE pad)

size: 8/1.2 x 165 x 1220 mm (+ 1.5 mm IXPE pad)



### OAK


Cinnamon - VCI 165

size: 9.5/1.2 x 165 x 1900 mm (+ 1.5 mm IXPE pad)

size: 8/1.2 x 190 x 1220 mm (+ 1.5 mm IXPE pad)

size: 9.5/1.2 x 165 x 1220 mm (+ 1.5 mm IXPE pad)

size: 8/1.2 x 127 x 910 mm (+ 1.5 mm IXPE pad)



### OAK

Taupe - VTA 165

size: 9.5/1.2 x 165 x 1900 mm (+ 1.5 mm IXPE pad)

size: 8/1.2 x 190 x 1220 mm (+ 1.5 mm IXPE pad)

size: 9.5/1.2 x 165 x 1220 mm (+ 1.5 mm IXPE pad)

size: 8/1.2 x 127 x 910 mm (+ 1.5 mm IXPE pad)







## CONTACT US

GROVE FLOORING by A.R.S. Construction & Renovation Co., Ltd.

**นายอารียศักดิ์ เสมอพิทักษ์**

Tel. 098-192-6619



สแกน เพื่อเพิ่ม

**สุพิชญา แดงทองสุข**

Tel. 089-195-5962



สแกน เพื่อเพิ่ม

สอบถามสินค้า ตัวอย่างสี ราคา และบริการติดตั้ง